Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1-13. (canceled)

14. (currently amended) A handheld audio device comprising:

a housing, said housing holding:

a controller:

at least one memory storing a control program for operating the handheld audio device, said at least one memory coupled to the controller;

an audio system coupled to the controller;

an ambulation system comprising:

an first_electromechanical ambulation mechanism having a first_foot extending through a first opening in the housing for making contact with an external surface on which the handheld audio device is placed;

a first drive circuit coupled to the <u>first</u> electromechanical ambulation mechanism, and coupled to the controller;

wherein, the controller is programmed to drive the ambulation system in response to audio processed by the audio system.

Application No. 10/812,285 December 6, 2006 Page 3 of 6

18.

- (original) The handheld audio device according to claim 14, wherein: said audio system comprises a loudspeaker, and a second drive circuit coupled to the loudspeaker.
- 16. (original) The handheld audio device according to claim 14 wherein: the controller is programmed to digitally process digital audio to obtain processed audio and drive the ambulation system according to the processed audio.
- 17. (currently amended) The handheld audio device according to claim 16 wherein: the controller is programmed to process digital music with a beat detection algorithm, in order to detect one or more beats, and operate the ambulation system so as to change a direction of movement of the handheld audio device in response to the one or more beats.
- said audio system comprises a microphone; and wherein the controller is programmed by the control program to:

(original) The handheld audio device according to claim 14 wherein:

- process input audio signals received from the microphone to obtain processed audio; and
- operate the electromechanical ambulation mechanism according to the processed audio.

Application No. 10/812,285 Docket No. CS23014RL - Arneson

December 6, 2006 Page 4 of 6

19. (original) The handheld audio device according to claim 18 wherein:

the controller is programmed to process input audio signals received from the microphone with a beat detection algorithm to detect one or more beats and operate the electromechanical ambulation mechanism to change a <u>direction of movement</u> of the handheld audio device in response to the one or more beats.

20-21. (canceled)

(new) The handheld audio device according to claim 16 further comprising:

a second electromechanical ambulation mechanism having a second foot extending through a second opening in the housing for making contact with the external surface on which the handheld audio device is placed;

wherein the first drive circuit is also coupled to the second electromechanical ambulation mechanism.